

SANTA BARBARA/MISSION TERRACE REPLACEMENT ARM Installation Instructions

Questions? 800.919.9464

1

Remove the umbrella from the base, and lay it on its side.



Unsnap the straps attaching the wind vent to the cover, and remove the wind vent from the canopy area.



Partially remove the canopy, by removing the screws that attach it to the frame and the L-brackets.



Remove the carriage bolt that holds the long and short arms together, and the elbow cover that surrounds the connection.



2

3

4



5

6

SANTA BARBARA/MISSION TERRACE REPLACEMENT ARM Installation Instructions

Video: https://vimeo.com/284217966

Questions? 800.919.9464




Cut the copper wire that holds the arms in the hub, and remove it completely.



Replace the damaged arm with the new one, attach it with the carriage bolt, and replace the elbow cover.

Re-wire the arms to the hub, by threading the new wire through the holes in the ends of each of the arms, and positioning the ends of the arms in the teeth of the hub.





7

Twist the ends of the wire together and cut off the excess, leaving a 1" tail.



9

10

SANTA BARBARA/MISSION TERRACE REPLACEMENT ARM Installation Instructions

Video: https://vimeo.com/284217966

Questions? 800.919.9464



Tuck the wire tail over to one side.



Re-attach the canopy with the screws and L-brackets that were removed, and re-attach the fabric straps from the main cover to the wind vent.



11

Place the umbrella in its base, and open it to ensure it is functioning correctly.